



Zhejiang Huaxin bearing accessories C...



MSM90BXHFATL Bearing 2D drawings and 3D CAD models

TIMKEN MSM90BXHFATL Flange Block Bearings

Bearing No. MSM90BXHFATL

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	39.45
EAN	0013992051578
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	16 Millimeter
Relubricatable	Yes
Insert Part Number	MSM90BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch - Metric	Metric
Long Description	4 Bolt Round Flange Block; 90MM Bore; 302MM Bolt Circle; 2 Piece Split; Clamp Collar Mount; Cast Iron; Cylindrical Roller Bearing; 89.7MM Length Thru Bore; 213.5MM Bolt Spacing; Relubricatable; Triple



Zhejiang Huaxin bearing accessories C...

Other Features	Single Row Wide Inner Ring Medium Duty
Category	Flange Block Bearings
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Weight / LBS	86.9
Nominal Bolt Circle Diameter Round	11.9 Inch 302 Millimeter
D	3.531 Inch 89.7 Millimeter
d	3.543 Inch 90 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Bolt Spacing	8.4 Inch 213.5 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Shaft Size	90 mm
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Round Flange
Series Type	Medium Series
Bolt Size	4 x M16
Bearing - Housing - Seal	MSM90BXHATL
Bearing - Housing - Seal UPC	013992044976
Bearing UPC	013992035479
Dimension T	14.0 in
Dimension R	11.9 in
Dimension P	0.7 in
Dimension H	3.4 in
Dimension N	9.625 in
Dimension V	0.1 in



Zhejiang Huaxin bearing accessories C...

Dimension L	6.4 in
Cr - Dynamic Load Rating	66768 lbf
Cor - Static Load Rating	79358 lbf
Maximum Speed	2520 rpm
Note	This product line was formerly known as " Revolve "